INTERNATIONAL RICE RESEARCH NEWSLETTER

Subject Index 1989

Index of Varieties, Cultivars, and Lines

Volume 14, Numbers 1-6, 1989

PUBLISHED BY THE INTERNATIONAL RICE RESEARCH INSTITUTE, P.O. BOX 933, MANILA, PHILIPPINES

Subject Index 1989

A

B

Sah D N. Early rice blast (Bl) outbreak in Nepal. 14 (1) (Feb 89), 28-29.

Surin A, Arunyanart P, Dhitikiattipong R, Rodjanahusdin W, Soontrajarn K, Munkong S, Disthaporn S. Yield loss due to rice blast (Bl) disease at different crop stages. 14 (4) (Aug 89), 34-35.

BLAST PATHOGEN

Chang Kyu Kim, Hong Sik Min, Yoshino R. Conidia release and dispersal pattern of *Pyricularia oryzae* under cloudy or rainy conditions. 14 (4) (Aug 89), 34.

Satyanarayana K, Reddy A P K. Virulence of *Pyricularia oryzae* in coastal Andhra Pradesh. 14 (1) (Feb 89), 27.

Sun Guochang, Sun Shuyuan, Shen Zongtan. Conditions for sporulation of rice blast (Bl) fungus. 14 (5) (Oct 89), 12-13.

Sun Guochang, Sun Shuyuan, Shen Zongtan. Technique to preserve conidia of rice blast (Bl) fungus. 14 (4) (Aug 89), 17-18.

BLAST -- VARIETAL RESISTANCE

Adhikari T B, Mew T W. Bacterial blight (BB) resistance in some Nepal rice cultivars. 14 (3) (Jun 89), 20.

Ansari M M, Sharma T V R S. Diseases and mycoflora of *Oryza indandamanica* Ellis. 14 (6) (Dec 89), 4.

He Yueqiu, Zeng Xiaoping, Huang Ruirong, Wen Yanhua, Peng Zhiping. Disease resistance in Chinese hybrid rices. 14 (5) (Oct 89), 11-12.

Izadyar M. Genetic sources for resistance to rice blast (Bl) caused by *Pyricularia oryzae* Cav. in Guilan Province, Iran. 14 (6) (Dec 89), 8-9.

Karki P B. Sources of multiple resistance to rice blast (Bl) and bacterial blight (BB) in Nepal. 14 (1) (Feb 89), 10-11.

Luong Minh Chau, Saxena R C. Reaction to brown planthopper (BPH) of varieties originating from *Oryza officinalis*. 14 (6) (Dec 89), 9-10.

Muthuswami M, Gunathilagaraj. Reactions of gall midge (GM)-resistant rice accessions to yellow stem borer (YSB), leaffolder (LF), and rice blast (Bl). 14 (3) (Jun 89), 21.

Prabhu A S. Methods for evaluating resistance to *Pyricularia oryzae* in rice. 14 (4) (Aug 89), 18-19.

Sheng Jinshan. Sachiminori--a fine quality rice cultivar. 14 (3) (Jun 89), 27.

Sun Guochang, Sun Shuyuan, Shen Zongtan. A new inoculation technique for rice blast (Bl). 14 (2) (Apr 89), 15.

Thyagarajan A, Nilakantapillai K, Ranganathan T B. TM4309: a blast (Bl)-resistant, short-duration rice. 14 (3) (Jun 89), 18.

Zhang Xiaoming, Lin Yizi, Feng Shuiying. Development of a japonica rice variety with blast (Bl) and bacterial blight (BB) resistance. 14 (1) (Feb 89), 11-12.

BOOT BLIGHT

Singh N I, Devi Km R K T, Singh Kh U. *Rhizoctonia solani*: an agent of rice boot blight. 14 (6) (Dec 89), 22.

BROWN PLANTHOPPER

Flores Z M, Hibino H. Survey of rice virus carriers among brown planthopper (BPH) *Nilaparvata lugens* populations in Laguna, Philippines. 14 (5) (Oct 89), 25.

Yin B T, Zhang Z T, Kong W Z, Saxena R C. Acoustical analysis of brown planthopper (BPH) courtship signals. 14 (5) (Oct 89), 28-29.

BROWN PLANTHOPPER BIOTYPES

Saxena R C, Barrion A A. Morphometric comparison of stridulating organs of brown planthopper (BPH) infesting rice and *Leersia* grass. 14 (1) (Feb 89), 29-30.

BROWN PLANTHOPPER CONTROL

Heong K L, Rubia E G. Functional response of *Lycosa pseudoannulata* on brown planthoppers (BPH) and green leafhoppers (GLH). 14 (6) (Dec 89), 29-30.

Heong K L, Bleih S, Rubia E. Predation of wolf spider on mirid bug and brown planthopper (BPH). 14 (6) (Dec 89), 33.

Kareem A A, Saxena R C, Boncodin M E M, Malayba M T. Effect of neem seed and leaf bitters on oviposition and development of green leafhopper (GLH) and brown planthopper (BPH). 14 (6) (Dec 89), 26-27.

Parasuraman S. Predatory coccinellids in ricefields at Agricultural College and Research Institute, Madurai. 14 (6) (Dec 89), 30.

Ramaraju K, Sundara Babu P C. Effect of plant derivatives on brown planthopper (BPH) and whitebacked planthopper (WBPH) nymph emergence on rice. 14 (5) (Oct 89), 30.

Saxena R C, Zhang Z T, Boncodin M E M. Effect of neem oil on courtship signals and mating behavior of brown planthopper (BPH) females. 14 (6) (Dec 89), 28-29.

Shepard B M, Rapusas H R. Life cycle of *Micraspis* sp. on brown planthopper (BPH) and rice pollen. 14 (3) (Jun 89), 40.

BROWN PLANTHOPPER INCIDENCE

Rubia E G, Heong K L. Vertical distribution of two hopper species on rice plants. 14 (6) (Dec 89), 30-31.

BROWN PLANTHOPPER -- VARIETAL RESISTANCE

Bai N R, Leenakumary S, Joseph C A, Devika R. Field evaluation of rice cultivars in India for resistance to brown planthopper (BPH). 14 (5) (Oct 89), 14-15.

Jiang Jian-yun, Peng Zhao-pu, Lei Hui-zhi, Liu Gui-qiu. Resistance of rice germplasm to whitebacked planthopper (WBPH) in Changsha, China. 14 (3) (Jun 89), 22.

C

Prabowo A, Prastowo B, Firmansyah I U. Supplementary irrigation using shallow groundwater for soybean after wetland rice. 14 (2) (Apr 89), 42.

Prakash V, Koranne K D, Tandon J P. Economics of upland rice-based cropping systems for midhills of Uttar Pradesh. 14 (3) (Jun 89), 43.

Prakash V, Bhatnagar V K, Singh P. Response of spring rice to fertilizer practices in rice - rapeseed rotation. 14 (3) (Jun 89), 34-35.

Prakash V, Singh P, Bhatnagar V K. Rice-based cropping sequences for rainfed conditions in midhills of Uttar Pradesh. 14 (2) (Apr 89), 40-41.

Prasad S N, Singh J P, Singh K, Singh M. A rice-based intercropping sequence for Vindhyan red loam soils of eastern Uttar Pradesh. 14 (4) (Aug 89), 41-42.

Ramasamy S, Rajendran R, Selvaraj P. Residual effect on succeeding winter rice of urea applied to summer rice. 14 (4) (Aug 89), 44.

Roy R K, Choudhary R C. Introducing high-yielding rice into a jute cropping system with limited nutrient supply. 14 (6) (Dec 89), 34.

Sahu P N, Padhi A K, Dash N. Intercropping of pulses with rainfed rice at South Coastal Orissa, India. 13 (3) (Jun 1988), 48. [correction in 14 (1) (Feb 89), back cover]

Singh G, Singh O P, Singh R S, Yadava R A. Effect of source and level of nitrogen on yield of rice and succeeding lentil crop. 14 (4) (Aug 89), 43.

Singh R P, Singh J P, Singh Y, Singh A K, Singh R A. Weed management in rainfed rice - lentil crop sequence. 14 (2) (Apr 89), 39-40.

CROPPING SYSTEMS ECONOMICS

Bhowmick B C, Guha G. Economics of rainfed rice-based crop sequences under upland conditions in the Lower Brahmaputra Valley. 14 (5) (Oct 89), 34-35.

Singh B P, Ghosh D C. Energy use in rice - wheat cropping system. 14 (4) (Aug 89), 44-45.

CYTOPLASMIC MALE STERILE LINES

Anandakumar C R, Soundrapandian G, Subramanian M. Floral characters of CMS and maintainer lines in hybrid rice. 14 (2) (Apr 89), 6.

Bijral J S, Sharma T R, Singh B, Gupta B B, Kanwal K S. Isolation of maintainers and restorers for three cytoplasmic male sterile lines. 14 (3) (Jun 89), 6.

Raj K G, Virmani S S. Maintainers and restorers for different cytoplasmic male sterility systems. 14 (5) (Oct 89), 7.

Satoto. Effect of row ratio and leaf clipping on MR365A outcrossing and seed yield. 14 (2) (Apr 89), 6.

Satoto, Sutaryo B. Natural outcrossing of cytoplasmic male sterile line IR54752A in Indonesia. 14 (1) (Feb 89), 7.

Sharma J P, Mani S C. Identification of restorers and maintainers for four CMS lines of rice. 14 (2) (Apr 89), 8.

Shen Zongtan, He Zuhua. Transfer *eui* gene to WA-MS line Zhen Shan 97A (*Oryza sativa* ssp. indica) and eliminating its panicle enclosure. 14 (4) (Aug 89), 8-9.

Sivasubramanian V, Ganapathy S, Soundararaj A P M K, Nadarajan N. Evaluation of some CMS and maintainer lines in Tamil Nadu. 14 (3) (Jun 89), 10.

Sutaryo B. Some Indonesian restorers and maintainers of WA cytosterile lines. 14 (3) (Jun 89), 9.

Velusamy R, Paramasivam K S, Rangasamy S R. Influence of male sterile and normal cytoplasm on expression of resistance to thrips. 14 (1) (Feb 89), 12.

Yang R C, Wang N Y, Liang K J. *Oryza nivara* sources of cytoplasmic male sterility in rice. 14 (2) (Apr 89), 5.

D

DEEPWATER RICE

Bardhan Roy S K, Banerji B, Kundu C, Mandal K. Effect on yield of cutting deepwater rice for herbage. 14 (4) (Aug 89), 29-30.

Islam Z. Crop losses due to hispa beetle damage in deepwater rice (DWR). 14 (6) (Dec 89), 33.

Kupkanchanakul T, Roontun S. Herbage production from deepwater rice in farmers' fields. 14 (6) (Dec 89), 17.

Mallik S, Kundu C, Mandal B K. CN705-18--a promising rice variety for deepwater rice areas. 14 (2) (Apr 89), 21-22.

Pathan M S, Miah N M. Genetic parameters of submergence tolerance in some rainfed lowland rices of Bangladesh. 14 (1) (Feb 89), 4.

Raghavaiah C V, Ghosh B C, Jana M K. Nursery management for rice grown in intermediate deep water. 14 (3) (Jun 89), 31-32.

Ray P K S, HilleRisLambers D. Heritability of stem elongation ability in rice. 14 (2) (Apr 89), 19.

Schreurs W. Yields of broadcast and transplanted *Oryza glaberrima* floating rice. 14 (4) (Aug 89), 28-29.

Singh P P, Mazaredo A M, Vergara B S, Singh B N, Mackill D J. Tolerance of rainfed lowland rice cultivars and breeding lines for submergence at seedling stage. 14 (5) (Oct 89), 16-17.

Singh S, Bhattacharjee D P. Changes in shoot growth in response to partial submergence. 14 (3) (Jun 89), 23-24.

DORMANCY, SEED

Kumary S L, Ommen S K, Joseph C A. Screening rice varieties for grain dormancy. 14 (4) (Aug 89), 27-28.

E

F

FERTILIZER -- PHOSPHORUS

FERTILIZER -- POTASSIUM

G

H

L

M

N

P

R

S

T

U

V

W

Y

Z

Index of Varieties, Cultivars, and Lines

A

B

C

D

J

K

L

M

N

O

P

Q

R

S

T

U

V

W

X

Y

Z

INTERNATIONAL RICE RESEARCH INSTITUTE
c/o EN CAS DE NON REMISE, RENYOVER A
KLM-PUBLICATION DISTRIBUTION SERVICE
P.O. BOX 10.000
2130 CA HOOFDDORP, HOLLAND

PORT BETAALD
PORT PAYE
AMSTERDAM

Printed Matter

ISSN 0115-0944